

AQUAMOR



WHY PARTNER WITH AQUAMOR?

Our vision is clear: to provide water treatment solutions that are as unique as the water we treat. By leveraging Aquamor's manufacturing excellence and analytical acumen, we tailor our approach to each customer's specific needs. This isn't just about selling products; it's about offering a partnership that understands, adapts, and overcomes the distinct challenges of water treatment. Through this partnership we provide a unique approach to the marketplace, driving focused solutions; enhancing quality, longevity and ultimately an unparalleled value proposition to our customers and the industry.

WATER: A COMPLEX CHALLENGE, A TAILORED SOLUTION

Water is a complex entity. Its characteristics can vary dramatically, even within the same neighborhood. This variability demands not just solutions, but smart, adaptable, and precise strategies. Aquamor brings a heightened level of analysis and knowledge, applying years of industry expertise to the nuances of water treatment.

A PROMISE OF SUCCESS AND IMPACT

Aquamor promises not just success, but a significant impact in the water treatment space. We offer more than products; we offer a commitment to understanding your unique water challenges and delivering solutions that work. As we embark on this journey we invite you, our valued customers and partners, to join us in shaping a future where every drop of water is treated with the utmost care and expertise.

We're not just treating water; we're setting the standard for the industry. Welcome to the future of water treatment. Welcome to Aquamor.

Crafted with the future in mind, inspired by a legacy of excellence.



OUR FACILITY

ALL PRODUCTS PROUDLY
MADE IN THE U.S.A.




AQUAMOR

All of Aquamor Foodservice's new Catamount™ products are manufactured in Temecula, California (Southern California – Wine Country).

CATAMOUNT® SERIES

Aquamor Foodservice is a comprehensive water treatment product line of filters and systems that were designed to provide peace of mind to the foodservice industry as it pertains to water quality, breadth of product offerings, unique next generation features and benefits. All products are proudly Made in the U.S.A. Whether you are looking to upgrade to the highest quality systems available or find high quality replacements for existing products, the Aquamor Foodservice program is your one-stop shop for all your filtration needs.



AQUAMOR
FOODSERVICE

LEGACY — SUPERIOR QUALITY COMPATIBLE FILTERS

Our NSF Certified Legacy platform offers replacement filters for all major filter brands. We are confident that we can provide you with a direct solution and replacement packages for product currently used in the market place. Our products meet or exceed OEM performance for flow, filtration, and capacities. we offer the highest quality compatible filters for:

- 3m/Cuno® +
- Everpure® ++
- Hoshizaki® +++
- Selecto Scientific® *
- Antunes® **

+ Cuno is a registered trademark of the 3M Company.

++ Everpure® is a registered trademark of Everpure Inc. Northbrook, IL

+++ Hoshizaki is a registered trademark of Hoshizaki Electric Co., Ltd. Corporation Japan.

* Selecto Scientific is a registered trademark of Selecto, Inc.

** Antunes is a registered trademark of A. J. Antunes & Co.





FOODSERVICE

COMMON WATER QUALITY CHALLENGES

- Turbidity/Particulate/Total Suspended Solids (TSS)
- Chemicals (Chlorine/Chloramines)
- Total Dissolved Solids (TDS)
- Total Hardness/Scale (Calcium/Magnesium)
- Cyst & microbiological contaminants (health)
- Organics (affect negative taste & odor)
- Chlorides (corrosion)
- Lead
- Sulfates
- Iron (ferrous/ferric)

WATER TREATMENT TECHNOLOGIES

- Activated Carbon Block (adsorption/absorption)
- Granulated Activate Carbon (adsorption/absorption) GAC
- Sediment/Mechanical Filtration (Particle filtration/micro filtration/utra filtration)
- Nano-Filtration (Similar to R.O. – Less TDS Rejection – 80-90%)
- Reverse Osmosis (R.O.)
- ION Exchange water softeners
- Weak Acid Cation resin (WAC)
- Strong Acid Cation Resin (SAC)
- Template Assisted Crystallization (TAC)
- Sodium based cation resin
- Phosphates
- Ozone disinfection
- Ultra Violet (UV)
- Special Medias (microbiological, scale, iron, etc.)

APPLICATIONS

- Drip brew coffee and tea
- Espresso based coffee products
- Carbonated and non-carbonated drinks (including drinking water)
- Ice machine/Frozen Carbonated Beverage (FCB)
- Flash steamers and proofers
- Boiler tank based steamers
- Drinking/table water
- Ware washers

WATER TREATMENT SPECIFICATIONS

Water Using Equipment	Flow Rates	Useful Water Treatment Technologies
Post Mix Drink Dispenser (Multiple Soda Valves)	1.67 GPM per Carbonator	Carbon Block, GAC
Ice Machine / Frozen Carbonated Beverage (FCB)	1.25 GPM	Carbon Block, GAC, Phosphate, Resins
Espresso Based Coffee	0.25 GPM	R.O. if >100 TDS, <100 TDS Carbon Block
Drop Coffee	1 GPM	Phosphates, Resins, R.O. if above 150 TDS
Drip Brew Tea	1 GPM	Phosphates, Resins, R.O. if above 150 TDS
Fresh Orange Juice	2 GPM	Carbon Block, GAC
Flash Steamer	0.1 GPM	R.O. if >100 TDS, Resins
Boiler Tank Based Steamer	1 GPM	R.O. if >100 TDS, Resins
Combi-Oven	0.75 GPM	R.O. if >100 TDS, Resins
Drinking/Table Water	1 GPM	Carbon Block, GAC
Reverse Osmosis Unit (100 GPD)	1.5 GPM	Carbon Block Pre/Post Filtration
Proffing Unit	1 GPM	Phosphates, Resins, RO.
Ware Washers	2-10 GPM (depending on equipment)	Phosphates, Resins

STANDARD OPERATING TARGETS FOR BEVERAGE / ICE (IDEAL)

Total Dissolved Solids (TDS)	<500 mg/L Limit (closer to 100 TDS Ideal)
Total Chlorine	<0.5 mg/L
Chloramines	<0.5 mg/L
Chlorides	<100 mg/L
Sulfate	<250 mg/L
Iron (Ferrous or Ferric)	<0.3 mg/L
Hardness (as calcium carbonate)	<100 mg/L (58 Grains of Total Hardness)
Total Alkalinity	<150 mg/L
pH	6.5 - 8.5

ESPRESSO BASED COFFEE AND STEAMERS (INCLUDING COMBI'S)

Espresso and steamer equipment require more stringent specifications to prevent mineral scale formation, and to ensure quality beverages. Specifications for espresso and steamers are listed below. Achievement of these standards are contingent upon provision of inlet water that meets the above chemical limits.

Total Dissolved Solids (TDS)	50-100 mg/L
Carbonate Hardness	<5 Grains of Carbonate Hardness
Total Hardness	<7 Grains of Total Hardness
pH	6.5 - 8.5

CATAMOUNT® SERIES

DRIP BREW COFFEE AND TEA APPLICATIONS (INCLUDING OCS)

REDUCES:

- Undesirable tastes and Odors
- Lime-scale and corrosion
- Abrasion and clogging
- 99.95% Cyst

VERIFICATIONS:

- Certified to NSF Standard 42 and 53
- Certified to NSF Standard 372

BENEFITS:

- High quality, great tasting coffee or tea
- Lower maintenance and equipment costs
- Higher efficiencies and lower energy cost
- Lower labor cost of PM
- Increased sales and profits



System	Part#	Micron	Flow Rate	Capacity	Reduction Claims	Replacement Cartridge	List Price
BGX1-2423P	105567	0.2	3.0 GPM	55,000 gal	Cyst, Turbidity, Sediment, Chlorine Taste & Odor, Scale	BGX-2423P	\$272.74
BGX1-2425P	105576	5.0	2.1 GPM	55,000 gal	Sediment, Chlorine Taste & Odor, Scale Control	BGX-2425P	105271

CATAMOUNT® SERIES

ESPRESSO BASED COFFEE/STEAMER & PROOFER APPLICATIONS

REDUCES:

- Undesirable tastes and Odors
- Lime-scale and corrosion
- Abrasion and clogging

VERIFICATIONS:

- Certified to NSF Standard 42
- Certified to NSF Standard 372

BENEFITS:

- High quality, great tasting coffee or tea
- Lower maintenance and equipment costs
- Higher efficiencies and lower energy cost
- Lower labor cost of PM
- Increased sales and profits



Full system shown above
Manifold + Cartridge

System	Part#	Media	Flow Rate	Capacity	Reduction Claims	Replacement Cartridge	List Price
BGX1-2400N	105422	Standard Resin	2.1 GPM	2,000 gpg*	Softening	BGX-2400N	105271
BGX1-2400W	105423	Weak Acid (WAC)	3.0 GPM	1,700 gpg*	Softening	BGX-2400W	105271
BGX1-4900N	105430	Standard Resin	2.1 GPM	4,500 gpg*	Softening	BGX-4900N	105271
BGX1-4900W	105435	Weak Acid (WAC)	2.1 GPM	3,000 gpg*	Softening	BGX-4900W	105271

* Capacity is estimated based upon standard water conditions Actual capacity may vary based upon incoming water characteristics

CATAMOUNT® SERIES

CARBONATED AND NON-CARBONATED DRINK APPLICATION

REDUCES:

- Undesirable tastes and Odors
- Lime-scale and corrosion
- Abrasion and clogging
- 99.95% Cyst

VERIFICATIONS:

- Certified to NSF Standard 42 and 53
- Certified to NSF Standard 372

BENEFITS:

- High quality, great tasting coffee or tea
- Lower maintenance and equipment costs
- Higher efficiencies and lower energy cost
- Lower labor cost of PM
- Increased sales and profits



Full system shown above
Manifold + Cartridge

System	Part#	Micron	Flow Rate	Capacity	Reduction Claims	Replacement Cartridge	List Price
BGX1-2423X	105571	0.2	3.0 GPM	55,000 gal	Cyst, Turbidity, Sediment, Chlorine Taste & Odor, Scale	BGX-2423X	105271
BGX1-2425X	105580	5.0	2.1 GPM	55,000 gal	Sediment, Chlorine Taste & Odor, Scale Control	BGX-2425X	105271
BGX1-4323X	105572	0.2	3.4 GPM	60,000 gal	Cyst, Sediment, Chlorine Taste & Odor	BGX-4323X	105271
BGX1-4325X	105581	5.0	3.4 GPM	60,000 gal	Sediment, Chlorine Taste & Odor	BGX-4325X	105271
BGX1-4923X	105573	0.2	7.5 GPM	265,000 gal	Cyst, Sediment, Chlorine Taste & Odor	BGX-4923X	105271
BGX1-4925X	105582	5.0	5.0 GPM	75,000 gal	Sediment, Chlorine Taste & Odor	BGX-4925X	105271

CATAMOUNT® SERIES

CHLORAMINE REDUCTION SYSTEMS

REDUCES:

- Undesirable tastes and Odors
- Lime-scale and corrosion
- Abrasion and clogging
- 99.95% Cyst

VERIFICATIONS:

- Cer **tified** to NSF Standard 42 and 53
- Cer **tified** to NSF Standard 372

BENEFITS:

- High quality, great tasting coffee or tea
- Lower maintenance and equipment costs
- Higher **efficiencies** and lower energy cost
- Lower labor cost of PM
- Increased sales and **pr ofits**



System	Part#	Micron	Flow Rate	Capacity	Reduction Claims	Replacement Cartridge	List Price
BGX1-4933X	105424	0.2	3.5 GPM	60,000 gal	Cyst, Sediment, Chlorine Taste & Odor, Chloramine	BGX-2423X	105271
BGX2-4933X	105425	0.2	7.0 GPM	120,000 gal	Cyst, Sediment, Chlorine Taste & Odor, Chloramine	BGX-2425X	105271
BGX3-4933X	105426	0.2	10.5 GPM	180,000 gal	Cyst, Sediment, Chlorine Taste & Odor, Chloramine	BGX-4323X	105271
BGX1-4933P	105427	0.2	3.5 GPM	60,000 gal	Sediment, Chlorine Taste & Odor	BGX-4325X	105271
BGX2-4933P	105428	0.2	7.0 GPM	120,000 gal	Cyst, Sediment, Chlorine Taste & Odor	BGX-4923X	105271
BGX3-4933P	105429	0.2	10.5 GPM	180,000 gal	Sediment, Chlorine Taste & Odor	BGX-4925X	105271

CATAMOUNT® SERIES

ICE MACHINES/FROZEN BEVERAGES (FCB) APPLICATIONS

REDUCES:

- Undesirable tastes and Odors
- Lime-scale and corrosion
- Abrasion and clogging
- 99.95% Cyst

VERIFICATIONS:

- Cer **tified** to NSF Standard 42 and 53
- Cer **tified** to NSF Standard 372

BENEFITS:

- High quality, great tasting coffee or tea
- Lower maintenance and equipment costs
- Higher **efficiencies** and lower energy cost
- Lower labor cost of PM
- Increased sales and **pr ofits**



Full system shown above
Manifold + Cartridge

System	Part#	Micron	Flow Rate	Capacity	Reduction Claims	Replacement Cartridge	List Price
BGX1-2425P	105576	5.0	2.1 GPM	55,000 gal	Sediment, Chlorine Taste & Odor	BGX-2425P	105271
BGX1-4323P	105568	0.2	3.4 GPM	60,000 gal	Cyst, Sediment, Chlorine Taste & Odor	BGX-4323P	105271
BGX1-4325P	105577	5.0	3.4 GPM	60,000 gal	Sediment, Chlorine Taste & Odor	BGX-4325P	105271
BGX1-4916P	105444	10.0	15.0 GPM	150,000 gal	Sediment, Scale Control	BGX-4916P	105271
BGX1-4923P	105569	0.2	5.0 GPM	75,000 gal	Cyst, Sediment, Chlorine Taste & Odor	BGX-4923P	105271
BGX1-4925P	105578	5.0	5.0 GPM	75,000 gal	Sediment, Chlorine Taste & Odor	BGX-4925P	105271


BGX SERIES

Model#	Part#	Micron	Flow Rate	Capacity	Reduces	Size	List Price
BGX-2100N	105317	10.0	3.5	1,200 GR	Sodium Softening	11"x 3.6"	\$118.02
BGX-2100P	105304	10.0	3.5	6 Months	Scale Reduction (8 oz)	11"x 3.6"	\$107.45
BGX-2100PHC	105690	10.0	3.5	130,000 gal	Scale Reduction	11"x 3.6"	\$154.76
BGX-2123P	105301	0.2	1.7	30,000 gal	Carbon Block, w/PO4	11"x 3.6"	\$180.65
BGX-2123X	105300	0.2	1.7	30,000 gal	Carbon Block	11"x 3.6"	\$172.38
BGX-2125P	105303	5.0	2.1	30,000 gal	Carbon Block, w/PO	11"x 3.6"	\$175.92
BGX-2125X	105302	5.0	2.1	30,000 gal	Carbon Block	11"x 3.6"	\$170.00
BGX-2400N	105315	25.0	3.0	2,000 GR	Sodium Softening	14.5" x 3.6"	\$179.45
BGX-2400P	105293	25.0	5.0	75,000 gal	Scale Reduction	14.5" x 3.6"	\$207.80
BGX-2400W	105316	10.0	3.0	1,700 GR	Weak Acid Softening	14.5" x 3.6"	\$205.43
BGX-2416P	105306	10.0	15.0	75,000 gal	Sediment Only 10 Micron, w/PO	14.5" x 3.6"	\$207.80
BGX-2416X	105305	10.0	7.5	75,000 gal	Sediment Only 10 Micron	14.5" x 3.6"	\$175.92
BGX-2423P	105308	0.2	3.0	55,000 gal	Carbon Block, w/PO	14.5" x 3.6"	\$201.90
BGX-2423X	105307	0.2	3.0	55,000 gal	Carbon Block	14.5" x 3.6"	\$192.46
BGX-2425P	105310	5.0	2.1	55,000 gal	Carbon Block, w/PO	14.5" x 3.6"	\$195.99
BGX-2425X	105309	5.0	2.1	55,000 gal	Carbon Block	14.5" x 3.6"	\$186.54
BGX-2433P	105312	0.2	1.5	20,000 gal	Chloramine, w/PO	14.5" x 3.6"	\$432.44
BGX-2433X	105311	0.2	1.5	20,000 gal	Chloramine	14.5" x 3.6"	\$420.61
BGX-4323P	105271	0.2	3.4	60,000 gal	Carbon Block, w/PO	12.5" x 4.5"	\$272.74
BGX-4323X	105270	0.2	3.4	60,000 gal	Carbon Block	12.5" x 4.5"	\$249.13
BGX-4325P	105273	5.0	3.4	60,000 gal	Carbon Block, w/PO	12.5" x 4.5"	\$268.61
BGX-4325X	105272	5.0	3.4	60,000 gal	Carbon Block	12.5" x 4.5"	\$242.04
BGX-4900N	105288	10.0	3.0	4,500 GR	Sediment, Scale, Softening	18.5" x 4.5"	\$259.76
BGX-4900P	105292	10.0	15.0	150,000 GR	Scale Reduction	18.5" x 4.5"	\$206.17
BGX-4900W	105289	10.0	3.0	3,000 GR	Weak Acid Softening	18.5" x 4.5"	\$324.69
BGX-4916P	105291	10.0	15.0	150,000 gal	Sediment 10 Micron, w/PO	18.5" x 4.5"	\$240.86
BGX-4916X	105290	10.0	15.0	N/A	Sediment 10 Micron	18.5" x 4.5"	\$217.25
BGX-4923P	105281	0.2	5.0	75,000 gal	Carbon Block, w/PO	18.5" x 4.5"	\$371.92
BGX-4923PHC	105297	0.2	7.5	265,000 gal	Carbon Block High Capacity w/PO	18.5" x 4.5"	\$464.89

BGX SERIES


Model#	Part#	Micron	Flow Rate	Capacity	Reduces	Size	List Price
BGX-4923X	105280	0.2	5.0	75,000	Carbon Block	18.5" x 4.5"	\$342.39
BGX-4923XHC	105295	0.2	7.5	265,000	Carbon Block High Capacity	18.5" x 4.5"	\$428.00
BGX-4925P	105283	5.0	5.0	75,000	Carbon Block, w/PO	18.5" x 4.5"	\$360.09
BGX-4925PHC	105299	5.0	7.5	265,000	Carbon Block High Capacity w/PO	18.5" x 4.5"	\$450.14
BGX-4925X	105282	5.0	5.0	75,000	Carbon Block	18.5" x 4.5"	\$329.41
BGX-4933P	105285	0.2	3.5	60,000	Chloramine, w/PO	18.5" x 4.5"	\$788.10
BGX-4933X	105284	0.2	3.5	60,000	Chloramine	18.5" x 4.5"	\$746.78
BGX-4300P	105278	10.0	3.4	-	Scale, Sand, Silt, Sediment, Rust	4.5" X 14"	\$173.75
BGX-4300W	105277	10.0	3.4	-	Sediment, Scale, Softening	4.5" X 14"	\$173.75
BGX-4323P	105271	0.2	3.4	60,000	Cyst, Sediment, Scale, Chlorine Taste & Odor	4.5" X 14"	\$272.74
BGX-4323X	105270	0.2	3.4	60,000	Cyst, Sediment, Chlorine Taste & Odor	4.5" X 14"	\$249.13
BGX-4325P	105273	5.0	3.4	60,000	Sediment, Scale, Chlorine Taste & Odor	4.5" X 14"	\$268.61
BGX-4325X	105272	5.0	3.4	60,000	Sediment, Chlorine Taste & Odor	4.5" X 14"	\$242.04
BGX-4900N	105288	10.0	3.0	4,500 GR	Sediment, Scale, Softening 4.5 X 20	18.5" x 4.5"	\$259.76
BGX-4900W	105289	10.0	3.0	3,000 GR	Sediment, Scale, Softening 4.5 X 20	18.5" x 4.5"	\$324.69
BGX-4916P	105291	10.0	15.0	150,000	Scale, Sand, Silt, Sediment, Rust	4.5" X 20"	\$240.86
BGX-4916X	105290	10.0	15.0	N/A	Sand, Silt, Sediment, Rust	4.5" X 20"	\$217.25
BGX-4923P	105281	0.2	5.0	75,000	Cyst, Sediment, Scale, Chlorine Taste & Odor	4.5" X 20"	\$371.92
BGX-4923PHC	105297	0.2	7.5	265,000	Cyst, Sediment, Scale, Chlorine Taste & Odor	4.5" X 20"	\$464.89
BGX-4923X	105280	0.2	5.0	75,000	Cyst, Sediment, Chlorine Taste & Odor	4.5" X 20"	\$342.39
BGX-4923XHC	105295	0.2	7.5	265,000	Cyst, Sediment, Chlorine Taste & Odor	4.5" X 20"	\$428.00
BGX-4925P	105283	5.0	5.0	75,000	Sediment, Scale, Chlorine Taste & Odor	4.5" X 20"	\$360.09
BGX-4925PHC	105299	5.0	7.5	265,000	Sediment, Scale, Chlorine Taste & Odor	4.5" X 20"	\$450.14
BGX-4925X	105282	5.0	5.0	75,000	Sediment, Chlorine Taste & Odor	4.5" X 20"	\$329.41
BGX-4925XHC	105298	5.0	7.5	265,000	Sediment, Chlorine Taste & Odor	4.5" X 20"	\$411.76
BGX-4933P	105285	0.2	3.5	60,000	Scale, Chloramines, Cyst, Sediment, Chlorine Taste & Odor	4.5" X 20"	\$788.10
BGX-4933X	105284	0.2	3.5	60,000	Cyst, Sediment, Chloramines, Chlorine Taste & Odor	4.5" X 20"	\$746.78

BGX MANIFOLD ASSEMBLIES




105212

BGX Single Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price: \$265.53




105213

BGX Twin Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price: \$439.05



105214

BGX Triple Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price: \$647.07




105215

BGX Quad Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price: \$837.84




105216

BGX 1+1 Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price: \$458.85




105217

BGX 2+1 Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price: \$649.62



105218

BGX 3+1 Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price: \$840.39



105219

BGX 4+1 Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price: \$1,031.16

AQUAMOR FOODSERVICE LEGACY LINE FOR 3M/CUNO® MODEL NUMBER PART

3M Model	Model #	Part #	Micron	Flow Rate	Capacity	Reduces	Size	List Price
EQ-17-TL	BGC-0200S	105192	5.	0.5	1,500 gal	Chlorine Taste & Odor, Scale, Sediment	8.5" x 2.5"	\$69.85
CFS 8000-S	BGC-2000S	105069	25.0	1.67	14,000 gal	Scale, Sediment	11.5" x 3.6"	\$89.90
CFS-8110	BGC-2100	105070	5.0	1.67	12 Months	Sediment, Particulates	11.5" x 3.6"	\$95.00
CFS 8110-S	BGC-2100S	105071	5.0	1.67	12 Months	Scale, Sediment, Particulates	11.5" x 3.6"	\$81.28
CFS-8812-X CFS 8112 AP-517 AP-DW85	BGC-2200	105072	0.5	1.67	20,000 gal	Chlorine Taste & Odor, Sediment, Particulates	11.5" x 3.6"	\$95.85
CFS-8812-XS CFS 8112-S	BGC-2200S	105073	0.5	1.67	20,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	11.5" x 3.6"	\$98.25
AP-517 AP-DW85	BGC-2200S	105073	0.5	1.67	20,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	11.5" x 3.6"	\$98.25
CFS 8720	BGC-2300	105049	5.0	1.67	10,300 gal	Chlorine Taste & Odor, Sediment, Particulates	11.5" x 3.6"	\$90.86
CFS 8720-S CFS 517 CS-61	BGC-2300S	105074	5.0	1.67	10,300	Chlorine Taste & Odor, Scale, Sediment, Particulates	11.5" x 3.6"	\$98.25
-	BGC-3000C	105163	25.0	1.0	6 Months	Sediment, Particulates	14.5" x 3.6"	\$96.00

AQUAMOR FOODSERVICE LEGACY LINE FOR 3M/CUNO® MODEL NUMBER PART


Everpure Model	Model #	Part #	Micron	Flow Rate	Capacity	Reduces	Size	List Price
SWC900-C SWC1350-C	BGC-3000R	105076	25.0	0.5	1900 grains	Sediment, Particulates, Soften	14.5" x 3.6"	\$156.51
CFS 8110-ELS	BGC-3100S	105077	5.0	1.67	12 Months	Scale, Sediment, Particulates	14.5" x 3.6"	\$89.07
CFS 8112-EL CFS 8812-ELX	BGC-3200	105078	0.5	2.1	27,000 gal	Chlorine Taste & Odor, Sediment, Particulates,	14.5" x 3.6"	\$114.79
CFS 8112-ELS CFS 8812-ELX-S	BGC-3200S	105079	0.5	2.1	27,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	14.5" x 3.6"	\$120.63
CFS 8720-EL CFS 8110-EL	BGC-3300	105080	5.0	2.1	14,000 gal	Chlorine Taste & Odor, Sediment, Particulates	14.5" x 3.6"	\$109.57
CFS 8720-EL CFS 8110-EL	BGC-3300S	105081	5.0	2.1	14,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	14.5" x 3.6"	\$115.11

BGC MANIFOLD ASSEMBLIES




105003

BGC Head Assembly with 3/8" NPT + 1/2" Barb,
Rinse Valve & Pressure Gauge
List Price: \$350.27




105005

BGC 1+1 Manifold 3/8" NPT + 1/2" Barb,
Rinse Valve & Pressure Gauge
List Price: \$400.30




105007

BGC Twin Manifold 3/8" NPT + 1/2" Barb,
Rinse Valve & Pressure Gauge
List Price: \$406.55




105009

BGC 2+1 Manifold with 3/8" NPT + 1/2" Barb,
Rinse Valve & Pressure Gauge
List Price: \$499.13




105011

BGC Triple Manifold with 3/8" NPT + 1/2" Barb,
Rinse Valve & Pressure Gauge
List Price: \$500.00




105013

BGC 3+1 Manifold with 3/8" NPT + 1/2" Barb,
Rinse Valve & Pressure Gauge
List Price: \$562.93



105015

BGC Quad Manifold with 3/4" NPT + 1/2" Barb,
Rinse Valve & Pressure Gauge
List Price: \$587.95



105017

BGC 4+1 Manifold with 3/4" NPT + 1/2" Barb,
Rinse Valve & Pressure Gauge
List Price: \$619.22

AQUAMOR FOODSERVICE LEGACY LINE FITS EVERPURE® MODEL NUMBER PART

Everpure® Model	Model #	Part #	Micron	Flow Rate	Capacity	Reduces	Size	List Price
EC210	Sediment Filter	304056	5.0	10	12 Months	Sediment, Rust, Particulates	TBD	\$16.91
SS-IMF EV9799-32	SI-10	105143	25.0	6	6 Months	Scale	8.3" x 1.3"	\$46.45
2CB5t	BGE-1200	105088	0.5	1.67	3,500 gal	Chlorine Taste & Odor, Sediment, Particulates	6.5" x 3.19"	\$98.93
OCS 4C BH2 OW4-Plus 4SI	BGE-1200S	105067	0.5	1.67	3,500 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	TBD	\$109.93
–	BGE-3100S	105055	5.0	2.9	12 Months	Scale, Sediment, Particulates	TBD	\$161.82
7CLM 7CB5 S-100 MC2 XC2 HFH	BGE-3200	105053	0.5	2.1	29,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	16.5" x 3.19"	\$152.66
4H, H-100 OW4-Plus i2000, i4000 HC-H HCH-CTO HF-H, MH 4SI, 4FC-S BW-4400 MC, XC	BGE-3200S	105054	0.5	2.1	29,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	16.5" x 3.19"	\$167.96
7CB5	BGE-3300	106074	5.0	2.1	15,000 gal	Sediment, Rust, Chlorine, Taste & Odor	16.5" x 3.19"	\$152.67
4CB5-S 7CB5-S 7CB5-K	BGE-3300S	106075	5.0	2.1	15,000 gal	Sediment, Rust, Scale Chlorine, Taste & Odor	16.5" x 3.19"	\$168.83
S-101 SPA400	BGE-3500+	106076	0.5	1.5	6,000 gal	Sediment, Rust, Lead Chlorine, Taste & Odor	6.5" x 3.19"	\$255.31
7SO, ESO6, ESO7	BGE-4000R	105089	25	0.5	2,500 Grains	Scale, Sediment, Particulates, Soften	3.19 x 21.5	\$302.29
–	BGE-4100S	105058	10	4	12 Months	Scale, Sediment, Particulates	3.19 x 21.5	\$161.82
MC 7TO PRO3500 XC	BGE-4200	105056	0.5	2.9	40,000 gal	Chlorine Taste & Odor, Sediment, Particulates	3.19 x 21.5	\$183.20
4FC-S BW 4400 HCH-CTO	BGE-4200S	105057	0.5	2.9	40,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	3.19 x 21.5	\$198.46
2CB5-S BH2 OCS2 OSC OW2-PLUS	BGP-1200S	105087	0.5	1.67	8,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	3.19 x 11	\$87.83
–	BGP-2000S	105162	10	1.67	12 Months	Scale, Sediment, Particulates	3.19 x 13.75	\$105.15
4C Filter, MD-HJN, PBS-400, PRO2500, S-100, S-101, SPA400	BGP-2200	105116	0.5	1.67	23,000 gal	Chlorine Taste & Odor, Sediment, Particulates	3.19 x 13.75	\$104.08

AQUAMOR FOODSERVICE LEGACY LINE FOR EVERPURE®

Everpure® Model	Model #	Part #	Micron	Flow Rate	Capacity	Reduces	Size	List Price
4C	BGE-1200	105088	0.5	1.67	3,500 gal	Sediment, Rust, Chlorine Taste & Odor	3.19 x 6.5	\$98.93
2CB-GW, 2CB5, 2CLM-S, 4C, BH2, OCS2, OW4-Plus	BGE-1200S	105067	0.5	1.67	3,500 gal	Scale, Sediment, Rust, Chlorine Taste & Odor	6.5" x 3.19'	\$109.93
–	BGE-3100S	105055	5.0	2.9	12 Months	Sand, Silt, Sediment, Rust	TBD	\$161.82
4C Filter, SPA 400, S-101, S-100, PRO2500, MD-HN, PBS-400	BGE-3200	105053	0.5	2.1	29,000 gal	Cyst, Sediment, Rust, Chlorine Taste & Odor	16.5" x 3.19"	\$152.66
7SO, ESO6, ESO7	BGE-4000R	105089	25.0	0.5	2,500 Grains	Softening, Sediment	21.5" x 3.19"	\$302.29
–	BGE-4100S	105058	10.0	4	12 Months	Scale, Sediment	TBD	\$161.82
BW 4400, BW7 TOS, HCH-CTO, HFH	BGE-4200	105056	0.5	2.9	40,000 gal	Cyst, Sediment, Rust, Chlorine Taste & Odor	21.5" x 3.19"	\$183.20
4FC-S, BW 4400, BW7 TOS, HCH-CTO, HFH	BGE-4200S	105057	0.5	2.9	40,000 gal	Cyst, Scale, Sediment, Rust, Chlorine Taste & Odor	21.5" x 3.19"	\$198.46
2CB5-K, 2CB5-S, 4C, 4K-Plus, AC, BH2, H-100, OCS2, OSC, OW 200L, OW2-PLUS, OW4-Plus	BGP-1200S	105087	0.5	1.67	8,000 gal	Scale, Sediment, Rust, Chlorine Taste & Odor	11" x 3.5"	\$87.73
–	BGP-2000S	105162	10.0	1.67	12 Months	Scale, Sediment	3.19 x 13.75	\$105.15
4C Filter, MD-HJN, PBS-400, PRO2500, S-100, S-101, SPA400	BGP-2200	105116	0.5	1.67	23,000 gal	Sediment, Rust, Chlorine Taste & Odor	TBD	\$104.08
4H Filter, 4K-Plus, H-100, H104, MD-CN, OW4-Plus	BGP-2200S	105117	0.5	1.67	23,000 gal	Scale, Sediment, Rust, Chlorine Taste & Odor	TBD	\$110.42

Everpure* to Aquamor Foodservice BGE Crossover Guide & Comparison

Aquamor Foodservice to Everpure*							
Aquamor	Micron	Flow Rate GPM	Gallons	Everpure*	Micron	Flow Rate GPM	Gallons
BGE-1200S	0.5	1.67	3,500	AC	0.5	0.50	750
BGE-1200S	0.5	1.67	3,500	BH, BH2	0.5	0.50	3,000
BGE-1200S	0.5	1.67	3,500	H-104	0.5	0.50	1,500
BGE-1200S	0.5	1.67	3,500	H-1200	0.5	0.50	1,000
BGE-1200S	0.5	1.67	3,500	H-300, H-300HSD	0.5	0.50	300
BGE-1200S	0.5	1.67	3,500	H-300+M	0.5	0.50	500
BGE-1200S	0.5	1.67	3,500	H-54	0.5	0.50	750
BGE-1200S	0.5	1.67	3,500	2CLM-S	0.5	0.50	1,500
BGE-1200S	0.5	1.67	3,500	2H-L	0.5	0.50	750
BGE-1200S	0.5	1.67	3,500	4C	0.5	0.50	3,000
BGE-1200S	0.5	1.67	3,500	MD-CN, MD-HN	0.5	10.00	1,500
BGE-1200S	0.5	1.67	3,500	OCS2	0.5	0.50	1,500
BGE-1200S	0.5	1.67	3,500	OW 200L	0.5	0.50	480
BGE-1200S	0.5	1.67	3,500	OW2-PLUS	0.5	1.00	1,000
BGE-1200S	0.5	1.67	3,500	OW4-PLUS	0.5	0.50	2,000
BGE-1200S	0.5	1.67	3,500	S-100	0.5	0.50	1,500
BGE-3200	0.5	2.10	29,000	2FC	0.5	1.50	6,000
BGE-3200	0.5	2.10	29,000	4CB5	5.0	1.67	6,000
BGE-3200	0.5	2.10	29,000	4FC	0.5	1.67	15,000
BGE-3200	0.5	2.10	29,000	4FC5	5.0	1.67	15,000
BGE-3200	0.5	2.10	29,000	7TO-BW	10.0	1.67	30,000
BGE-3200	0.5	2.10	29,000	4CH-H	0.5	1.67	21,000

All cartridges are sold in case quantities. BGE filters come 4 to a case.

*Everpure is a registered trademark of Pentair Filtration Solutions, LLC.

**Cuno is a registered trademark of the 3M Corporation.




AQUAMOR FOODSERVICE LINE FOR HOSHIZAKI®

Hoshizaki® Model	Model #	Part #	Micron	Flow Rate	Capacity	Reduces	Size	List Price
–	BGH-1200	105191	0.5	1.67	3,500 gal	Chlorine Taste & Odor, Sediment, Particulates	5.1" x 3.1"	\$98.93
4HC-H	BGH-3200S	105131	0.5	2.1	29,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	15" x 3.1"	\$167.95
–	BGH-4200S	105132	0.5	2.9	40,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	20" x 3.19"	\$198.46

Hoshizaki is a registered trademark of Hoshizaki Electric Co., Ltd. Corporation Japan.





BGM Filtration

Fits 3M/Cuno*

3M Model#	Model#	Part#	Micron	Flow Rate	Capacity	Reduces	Sizes	List Price
HF05-MS HF10-MS HF20-MS HF20-S HF30-MS HF30-S	BGM-2123P	105240	0.2	1.7	15,000 gal	Chlorine Taste & Odor Scale, Sediment, Cyst	12" x 3.6"	\$158.97
HC 351-S	BGM-2125P	105242	5.0	2.1	15,000 gal	Chlorine Taste & Odor Scale, Sediment, Particulate	12" x 3.6"	\$154.70
HF20 HF30	BGM-2123X	105239	0.2	1.7	15,000 gal	Chlorine Taste & Odor Sediment, Cyst	12" x 3.6"	\$150.96
HF15-MS HF25-MS HF25-S HF27-S HF35-MS HF35-S	BGM-2125P	105242	5.0	2.1	15,000 gal	Chlorine Taste & Odor Scale, Sediment, Cyst	12" x 3.6"	\$154.70
HF25 HF27 HF35	BGM-2125X	105241	5.0	2.1	15,000 gal	Chlorine Taste & Odor, Sediment	12" x 3.6"	\$146.16
P124BN PS124 PS165N	BGM-2400N	105245	25	2.0	2,000 Grains	Hardness, Chlorine, Taste & Odor, Sediment	15.5" x 3.6"	\$160.03
PS114	BGM-2400W	105247	25	2.0	1,700 Grains	Hardness, Chlorine, Taste & Odor, Sediment	15.5" x 3.6"	\$183.50
HF25-S-SR* HF45-S-SR*	BGM-2416P	105265	10	7.5	50,000 gal	Sediment, Scale	15.5" x 3.6"	\$185.64
HF40	BGM-2423X	105256	0.2	3.0	30,000 gal	Chlorine Taste & Odor Sediment, Cyst	15.5" x 3.6"	\$169.65
HF45-S	BGM-2425P	105259	5.0	2.1	30,000 gal	Chlorine Taste & Odor Scale, Sediment, Cyst	15.5" x 3.6"	\$169.65
HF45	BGM-2425X	105258	5.0	2.1	30,000 gal	Chlorine Taste & Odor, Sediment	15.5" x 3.6"	\$162.16
HF60-CLS	BGM-2433P	105263	0.2	1.57	10,000 gal	Chlorine, Chloramine, Taste & Odor, Sediment, Cyst	15.5" x 3.6"	\$285.93
HF65-CL HF35-CL HF60-CL	BGM-2433X	105262	0.2	1.57	10,000 gal	Chlorine, Chloramine, Taste & Odor, Scale, Sediment, Cyst	15.5" x 3.6"	\$278.46

BGM HIGH FLOW FILTER PARTS

Number	Part #	Description	Pack Quantity
1	105461	FITTING, UNION WITH O-RINGS	8
2	105468	FITTING, UNION+PR WITH O-RINGS	8
3	105449	FITTING, UNION+3/4 INCH PORT WITH O-RINGS	8
4	105474	FITTING, ELBOW, 1 INCH MNPT WITH O-RINGS	8
5	105475	FITTING, ELBOW, 3/4 INCH MNPT WITH O-RINGS	8
6	105479	U-CLIP, YELLOW	40
7	105480	CLIP, MANIFOLD, YELLOW	20
8	105458	FITTING, STEM, 1/2 INCH CTS, 5/8 INCH OD, WITH O-RINGS	8
9	105473	FITTING, 3/4 BSPP WITH O-RINGS	8
10	112232	VALVE, RINSING & HOSE (HOSE NOT SHOWN)	6
11	105481	GAUGE, PRESSURE, BACK MOUNT	6
12	105462	FITTING, PLUG WITH O-RINGS	8
13	105465	FITTING, PLUG+PR WITH O-RINGS	8
14	105470	FITTING, 3/8 INCH MNPT WITH O-RINGS	8
15	105471	FITTING, 3/8 INCH MNPT+PR WITH O-RINGS	8
16	105472	FITTING, 1 INCH MNPT WITH O-RINGS	8
17	105476	FITTING, 1 INCH MNPT+PR WITH O-RINGS	8
18	105466	FITTING, 1/2 INCH BARBED WITH O-RINGS	8
19	105469	FITTING, 1/2 INCH BARBED+PR WITH O-RINGS	8
20	105447	FITTING, 1 INCH BARBED WITH O-RINGS	8
21	105448	FITTING, 1 INCH BARBED+PR WITH O-RINGS	8
22	105463	FITTING, 3/4 INCH MNPT WITH O-RINGS	8
23	105464	FITTING, 3/4 INCH MNPT+PR W/O-RINGS	8
24	105477	FITTING, 1 INCH PEX WITH O-RINGS	8
25	105478	FITTING, 1 INCH PEX+PR WITH O-RINGS	8
26	105467	FITTING, SERIAL COUPLING WITH O-RINGS	4

BGM Filtration

Fits 3M/Cuno*

3M Model#	Model#	Part#	Micron	Flow Rate	Capacity	Reduces	Sizes	List Price
HF60-S P165BN	BGM-4323P	105253	0.2	3.4	40,000 gal	Chlorine Taste & Odor, Scale, Sediment, Cyst	12.5" x 4.5"	\$246.45
HF60	BGM-4323X	105251	0.2	3.4	40,000 gal	Chlorine Taste & Odor, Sediment, Cyst	12.5" x 4.5"	\$224.04
HF65-S	BGM-4325P	105252	5.0	3.4	40,000 gal	Chlorine Taste & Odor, Scale, Sediment	12.5" x 4.5"	\$237.93
HF65	BGM-4325X	105250	5.0	3.4	40,000 gal	Chlorine Taste & Odor, Sediment	12.5" x 4.5"	\$218.71
P195BN PS195	BGM-4900N	105244	10.0	TBD	TBD	Hardness, Chlorine Taste & Odor, Sediment	18.5" x 4.5"	\$234.71
HF65-S-SR* HF95-S-SR*	BGM-4916P	105269	10.0	15.0	15,000 gal	Sediment, Scale	18.5" x 4.5"	\$209.11
HF90-S	BGM-4923P	105255	0.2	5.0	60,000 gal	Chlorine Taste & Odor, Scale, Sediment, Cyst	18.5" x 4.5"	\$338.74
HF90	BGM-4923X	105261	0.2	7.5	60,000 gal	Chlorine Taste & Odor, Scale, Sediment, Cyst	18.5" x 4.5"	\$309.40
HF95-S	BGM-4925P	105254	5.0	5.0	60,000 gal	Chlorine Taste & Odor, Scale, Sediment	18.5" x 4.5"	\$520.64
HF95	BGM-4925X	105260	5.0	5.0	60,000 gal	Chlorine Taste & Odor, Sediment	18.5" x 4.5"	\$297.67
HF90-CL HF95-CL	BGM-4933X	105266	0.2	3.5	30,000 gal	Chlorine, Chloramine, Taste & Odor, Sediment, Cyst	18.5" x 4.5"	\$520.64
HF8-S	BGM-P04	105177	10.0	10.0	6 Months	Sediment, Scale	-----	\$84.65

BGM HF & SL SERIES FITS 3M/CUNO®**


3M Model	Model #	Part #	Micron	Flow Rate	Capacity	Reduces	Size	List Price
PS124 PS165N	BGM-2400N	105245	25.0	2.0	2,000 Grains	Scale, Sediment, Softening	15.5" x 3.6"	\$160.03
PS114	BGM-2400W	105247	25.0	2.0	1,700 Grains	Scale, Sediment, Soften	15.5" x 3.6"	\$183.50
HF25-S-SR* HF45-S-SR*	BGM-2416P	105265	10.0	7.5	50,000	Scale, Sediment	15.5" x 3.6"	\$185.64
HF40	BGM-2423X	105256	0.2	3.0	30,000	Chlorine Taste & Odor, Sediment, Cyst	15.5" x 3.6"	\$169.65
HF45-S	BGM-2425P	105259	5.0	2.1	30,000	Chlorine Taste & Odor, Scale, Sediment	15.5" x 3.6"	\$169.65
HF45	BGM-2425X	105258	5.0	2.1	30,000	Chlorine Taste & Odor, Sediment	15.5" x 3.6"	\$162.16
HF60-CLS	BGM-2433P	105263	0.2	2.0	20,000	Chlorine Taste & Odor, Scale, Sediment, Cyst, Chloramines	15.5" x 3.6"	\$258.93
HF65-CL HF35-CL HF60-CL	BGM-2433X	105262	0.2	2.0	20,000	Chlorine Taste & Odor, Sediment, Cyst, Chloramines	15.5" x 3.6"	\$278.46
HF60-S P165BN	BGM-4323P	105253	0.2	3.4	40,000	Chlorine Taste & Odor, Scale, Sediment, Cyst	12.5" x 4.5"	\$246.45
HF60	BGM-4323X	105251	0.2	3.4	40,000	Chlorine Taste & Odor, Sediment, Cyst	12.5" x 4.5"	\$224.04
HF65-S	BGM-4325P	105252	5.0	3.4	40,000	Chlorine Taste & Odor, Scale, Sediment	12.5" x 4.5"	\$237.93
HF65	BGM-4325X	105250	5.0	3.4	40,000	Chlorine Taste & Odor, Sediment	12.5" x 4.5"	\$218.71
P195BN PS195	BGM-4900N	105244	10.0	3.0	TBD	Hardness, Chlorine, Taste & Odor, Sediment	18.5" x 4.5"	\$234.71
HF65-S-SR* HF95-S-SR*	BGM-4916P	105269	10.0	15.0	150,000	Scale, Sediment	18.5" x 4.5"	\$209.11
HF90-S	BGM-4923P	105255	0.2	5.0	60,000	Chlorine Taste & Odor, Scale, Sediment, Cyst	18.5" x 4.5"	\$338.74
HF90	BGM-4923X	105261	0.2	7.5	60,000	Chlorine Taste & Odor, Sediment C st	18.5" x 4.5"	\$309.40
HF95-S	BGM-4925P	105254	5.0	5.0	60,000	Chlorine Taste & Odo , Scale, Sediment	18.5" x 4.5"	\$323.79
HF95	BGM-4925X	105260	5.0	5.0	60,000	Chlorine Taste & Odor, Sediment	18.5" x 4.5"	\$297.67
HF90-CL HF95-CL	BGM-4933X	105266	0.2	3.5	30,000	Chlorine Taste & Odor, Sediment, Cyst, Chloramines	18.5" x 4.5"	\$520.64
HF8-S	BGM-PO4	105177	10.0	6	6 months	Sediment, Scale		\$84.65

*Capacity is estimated based upon standard water conditions. Actual capacity may vary based upon incoming water characteristics.

** Cuno is a registered trademark of the 3M Company.


All cartridges are sold in case quantities. BGM filters come 4 to a case.

BGM MANIFOLD ASSEMBLIES




105202

BGM Single Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price \$250.91




105203

BGM Twin Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price \$427.05



105204

BGM Triple Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price \$603.20




105205

BGM Quad Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price \$779.35




105206

BGM 1+1 Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price \$429.60




105207

BGM 2+1 Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price \$605.75



105208

BGM 3+1 Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price \$781.90



105209

BGM 4+1 Manifold with 3/4"
NPT + Rinse Valve & Pressure Gauge
List Price \$958.05

BGM HIGH FLOW FILTER PACKS

ICE MACHINES/FROZEN BEVERAGES (FCB) APPLICATIONS

ADVANCED FILTRATION TECHNOLOGY

- NSF 42, 53 Certified
- Extended chlorine taste & odor reduction performance
- Includes 5.0 and 0.2 micron rated filters
- Patented scale control media provides superior scale protection for the life of the filter
- Made in USA specialty formulated carbon block provides exceptional capacity and dirt holding capability without plugging
- High flow, low pressure drop performance

SPECIFICATIONS:

- Operating Pressure: 10-125 PSI
- Operating Temperature: 35°F – 100°F

Fits in Place of	Model #	Part #	Micron	Flow Rate	Capacity	Reduction Claims	List Price
HF265-CL	BGM 265-CL	105680	0.2	3.15	20,000	Sediment, Chloramines, Chlorine Taste & Odor	\$568.75
HF295-CL	BGM 295-CL	105681	0.2	7	60,000	Sediment, Chloramines, Chlorine Taste & Odor	\$1,044.53
CARTPACK DP190	BGM P190	105682	0.2	7.5	60,000	Sediment, Scale, Cyst, Chlorine Taste & Odor	\$404.69
CARTPACK DP-195	BGM P-195	105683	5	5	60,000	Sediment, Scale, Chlorine Taste & Odor	\$393.75
CARTPACK DP260	BGM P260	105684	0.2	6.8	80,000	Sediment, Scale, Chlorine Taste & Odor	\$541.41
CARTPACK DP290	BGM P290	105685	0.2	10	150,000	Sediment, Cyst, Chlorine Taste & Odor	\$710.94
CARTPACK DP295-CL	BGM P295-CL	105686	0.2	7	60,000	Sediment, Scale, Chloramines, Chlorine Taste & Odor	\$1,137.50
CARTPACK DP390	BGM P390	105687	0.2	22.5	180,000	Sediment, Scale, Cyst, Chlorine Taste & Odor	\$1,028.13



AQUAMOR FOODSERVICE LEGACY LINE FITS EVERPURE® MODEL NUMBER PART

Everpure® Model	Model #	Part #	Micron	Flow Rate	Capacity	Reduces	Size	List Price
4H Filter, 4K-Plus, H-100, H104, MD-CN, OW4-Plus	BGP-2200S	105117	0.5	1.67	23,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	TBD	\$110.42
4CB5	BGP-2300	105118	5.0	1.67	10,000 gal	Chlorine Taste & Odor, Sediment, Particulates	TBD	\$104.08
–	BGP-3000S	–	10	1.67	14,000 gal	Scale, Sediment, Particulates	TBD	\$110.42
HC-H MC XC	BGP-3200	105120	0.5	2.1	31,000 gal	Chlorine Taste & Odor, Sediment, Particulates	TBD	\$131.48
i 2000 I 4000 H-300 MH OW200L	BGP-3200S	105121	0.5	2.1	31,000 gal	Chlorine Taste & Odor, Scale, Sediment, Particulates	TBD	\$138.16
7TO 7CB5 7TO BW	BGP-3300	105122	5.0	2.1	14,000 gal	Chlorine Taste & Odor, Sediment, Particulates	TBD	\$131.48

Everpure® is a registered trademark of Everpure Inc. Northbrook, IL

All cartridges sold in case quantities. BGE filters come 4 to a case. BGP filters come 6 to a case.


ULTRAFILTRATION (UF) SYSTEM



UF-4210-0000X



UF-4220-0000



UF-4410-0000X



UF-4420-0000X

FEATURES:

- Self-cleaning mechanical reduction assures superior performance and low maintenance costs
- 0.015 micron Ultrafilter provides consistent high quality water
- Standard packages offered from 8 to 30 GPM
- Build-on-the-wall program provides ability to expand flow rates as needed to provide solutions to multiple applications
- Simple programmable controller provides wide range of raw water application solutions
- Compact design provides powerful solutions with the smallest footprint
- Inlet and outlets equipped with both 1" and 3/4" MNPT Standard fittings
- Custom NSF Certified post filtration packages available for superior chloramine and chlorine reduction
- NSF 53 Certified for 9995% cyst reduction

Testified and certified by NSF International against NSF/ANSI Standard 53 for the reduction of claims specified on the performance data sheet



CALL OR SUBMIT REQUEST FOR QUOTE

ULTRAFILTRATION (UF) SYSTEM

OPERATING PARAMETERS:

Minimum Pressure	20 PSI (1.4 bar)
Maximum Pressure	100 PSI (6.9 bar)
Minimum Temperature	40°F (4.4°C)
Maximum Temperature	100°F (38°C)
pH Range	3-10
Maximum Trans Membrane Pressure	45 PSI (3.1 bar)

PERFORMANCE: MECHANICAL REDUCTION

Substance	Influent Challenge Concentration	Minimum Reduction Requirements	Average Reduction Achieved
CYST	> 50,000	99.95%	99.99%

Model Number	Part Number	Number of Membranes	Length of Membrane	Max Flow Rate	Inlet – Outlet
UF-4210-0000 20" Single	108037	1	20	8 GPM	1" and 3/4" MNPT Standard
UF-4220-0000 40" Double	108038	2	20	15 GPM	1" and 3/4" MNPT Standard
UF-4410-0000 20" Single	108039	1	40	15 GPM	1" and 3/4" MNPT Standard
UF-4420-0000 40" Double	108036	2	40	30 GPM	1" and 3/4" MNPT Standard

AQUAMOR BG-RO REPLACEMENT FILTERS

Fits 3M/Cuno*

Aquamor's line of BG-RO SQC-style replacement filters is built for performance, precision, and peace of mind. Designed as direct replacements for Legacy systems, these filters offer seamless compatibility with SQC reverse osmosis systems and deliver the high-efficiency filtration today's foodservice operations demand.

Each filter is engineered with NSF-compliant materials, supporting Aquamor's commitment to safety, reliability, and superior water quality. Whether you're reducing Total Dissolved Solids (TDS), sediment, or chlorine taste and odor, our filters are designed for mess-free, quarter-turn replacement-ensuring quick service and minimal disruption.

From pre-filtration to final polishing, Aquamor BG-RO filters maintain the integrity of your RO system and help extend its lifespan while producing clean, great-tasting water.

Cuno/3M*	Model #	Part #	Micron	Flow Rate	Type	Reduces	List Price
SQC 47-55706G2	BG-SC	106080	5.0	TBD	Carbon Sediment	Sediment, Chlorine taste & Odor	\$44.97
SQC 66-4706G2	BG-M50	106081	1/10,000	TBD	50 GPD RO Membrane	TDS Reduction	\$150.06
SQC 47-55704G2	BG-G	106082	25.0	TBD	GAC Filter	Chlorine taste & Odor	\$44.97
SQC 47-55702G2	BG-S	106083	5.0	TBD	Sediment Filter	Sand, Silt, and Rust Reduction	\$37.52
SQC 47-55710G2	BG-C	106084	5.0	TBD	Carbon Block	Sand, Sediment, Silt, Rust Chlorine taste & Odor	\$48.78
SQC 47-55702G2	BGB-0200S	106086	0.5	TBD	TBD	Sediment and Carbon Block with Lime Scale reduction	\$57.75
SQC 66-4703G2	BG-M100	106092	1/10,000	TBD	100 GPD RO Membrane	TDS Reduction	\$208.30

Bracket Assemblies

Quick Connect Fittings 1/4"

Fits Aquamor Foodservice	Style	Model#	List Price	
106080 106081 106082 106083 106084	Single	309099	\$31.91	
	Double	309100	\$85.70	
	Triple	309101	\$103.83	

All cartridges are sold in case quantities. Aquamor Foodservice RO filters come 6 to a case.

*Cuno is a registered trademark of the 3M Corporation.

*3M is a registered trademark of the 3M Corporation.

INLINE Filtration

Inline Filters

Part Number	Micron	Flow Rate	Capacity	Reduces	Description	List Price
106052	10.0	0.75 gpm	3,000 gal	Chlorine Taste & Odor	GAC Filter, Taste and Odor Reduction, 10 Micron, 1/4" FPT	\$44.97
106053	10.0	0.75 gpm	3,000 gal	Chlorine Taste & Odor	GAC Filter, Taste and Odor Reduction, 10 Micron, 1/4" Quick Connect	\$57.75
106054	10.0	0.75 gpm	3,000 gal	Chlorine Taste & Odor, Lime Scale	GAC Filter, Taste and Odor Reduction, with Lime Scale Reduction 10 Micron, 1/4" FPT	\$150.06
106055	10.0	0.75 gpm	3,000 gal	Chlorine Taste & Odor, Lime Scale	GAC Filter, Taste and Odor Reduction, with Lime Scale Reduction 10 Micron, 1/4" Quick Connect	\$48.78
106056	10.0	0.75 gpm	6,000 gal	Chlorine Taste & Odor	GAC Filter, Taste and Odor Reduction, 10 Micron, 1/4" FPT	\$44.97
106057	10.0	0.75 gpm	6,000 gal	Chlorine Taste & Odor	GAC Filter, Taste and Odor Reduction, 10 Micron, 1/4" Quick Connect	\$37.52
106058	10.0	0.75 gpm	6,000 gal	Chlorine Taste & Odor	GAC Filter, Taste and Odor Reduction, 10 Micron, 3/8" FPT	\$208.30
106059	10.0	0.75 gpm	3,000 gal	Chlorine Taste & Odor	GAC Filter, Taste and Odor Reduction, 10 Micron, 3/8" Quick Connect	\$150.06
106060	10.0	0.75 gpm	3,000 gal	Chlorine Taste & Odor, Lime Scale	GAC Filter, Taste and Odor Reduction, with Lime Scale Reduction 10 Micron, 1/4" FPT	\$48.78
106061	10.0	0.75 gpm	6,000 gal	Chlorine Taste & Odor, Lime Scale	GAC Filter, Taste and Odor Reduction, with Lime Scale Reduction 10 Micron, 1/4" Quick Connect	\$44.97
106062	10.0	0.75 gpm	6,000 gal	Chlorine Taste & Odor, Lime Scale	GAC Filter, Taste and Odor Reduction, with Lime Scale Reduction 10 Micron, 3/8" FPT	\$37.52
106063	10.0	0.75 gpm	6,000 gal	Chlorine Taste & Odor, Lime Scale	GAC Filter, Taste and Odor Reduction, with Lime Scale Reduction 10 Micron, 3/8" Quick Connect	\$208.30



Drop-In Technology Cartridges

Fits	Part Number	Micron	Flow Rate	Capacity	Description	List Price
19 3/4" Housing	105150	5.0	0.75 gpm	TBD	5 Micron Polyspun Sediment Filter with Lime Scale Protection Slim Line 2.5"	\$44.97
9 3/4" Housing	105151	5.0	0.75 gpm	TBD	5 Micron Polyspun Sediment Filter with Lime Scale Protection Slim Line 2.5"	\$31.47
19 3/4" Housing	304056	5.0	0.75 gpm	TBD	5 Micron Polyspun Sediment Filter with Slim Line 2.5"	\$16.91
9 3/4" Housing	304051	5.0	0.75 gpm	TBD	5 Micron Polyspun Sediment Filter with Slim Line 2.5"	\$7.80
19 3/4" Housing	304071	5.0	0.75 gpm	TBD	5 Micron Polyspun Sediment Filter Large Diameter 4.5" Double O-ring Seal	\$67.23
9 3/4" Housing	304050	5.0	0.75 gpm	TBD	5 Micron Carbon Block Taste & Odor Filter Slim Line 2.5"	\$13.66
9 3/4" Housing	105153	5.0	0.75 gpm	TBD	5 Micron Carbon Block Taste & Odor Filter with Lime Scale Reduction Slim Line 2.5"	\$60.49
19 3/4" Housing	304074	5.0	0.75 gpm	TBD	5 Micron Carbon Block Taste & Odor Filter Slim Line 2.5"	\$36.42
19 3/4" Housing	105154	5.0	0.75 gpm	TBD	5 Micron Carbon Block Taste & Odor Filter with Lime Scale Reduction Slim Line 2.5"	\$100.99
19 3/4" Housing	B45201	5.0	0.75 gpm	TBD	1 Micron Carbon Block Taste & Odor Filter with 4.5" Nipple Seal	\$87.14
9 3/4" Housing	105145	1.0	0.75 gpm	TBD	1 Micron Carbon Block Taste & Odor Filter with 4.5" Knife Edge Seal	\$60.84
19 3/4" Housing	105146	1.0	0.75 gpm	TBD	1 Micron Carbon Block Taste & Odor Filter with 4.5" Nipple Seal	\$100.07



Cartridges and Sticks Scale and Bio Drop-In Technology

Fits	Part Number	Micron	Flow Rate	Capacity	Description	List Price
TBD	105140	TBD	TBD	TBD	Scale Reduction, Cartridge Ice Machines (90-Day Life)	\$44.97
TBD	105141	TBD	TBD	TBD	Bio Film and Scale Reduction, Cartridge Ice Machines (90-Day Life)	\$44.83
TBD	105142	TBD	TBD	TBD	Bio Film Reduction, Cartridge Ice Machines (90-Day Life)	\$48.64
Everpure* SS-IMF, EV9799-32	105144 SI-8	TBD	TBD	TBD	Scale Inhibitor 8" for Lime Scale Reduction	\$46.84
Everpure* SS-IMF, EV9797-32, EV9799-42	105143 SI-10	TBD	TBD	TBD	Scale Inhibitor 10" for Lime Scale Reduction	\$48.31
9 3/4" Housing	304075	TBD	TBD	TBD	GAC Carbon Filter with Lime Scale Reduction Slim Line 2.5"	\$18.93

SI-10

Fits most 10" housings.

All cartridges are sold in case quantities.

Case quantities vary so please call the factory for exact count.

*Everpure is a registered trademark of Pentair Filtration Solutions, LLC.

BGC VALUE LINE

Manifold Assemblies

Compares to	Head	Part Number	Features	List Price
3M/Cuno* 8000 Series Head	Single	105021	3/8" Quick Connect Ports Gauge, White Powder Coated Bracket	\$125.74
3M/Cuno* 8000 Series Head	Dual	105026	Dual Head In Series Flow 3/8" Quick Connect Ports Gauge, Pressure Relief, White Powder Coated Bracket	\$172.25
3M/Cuno* 8000 Series Head	Dual	105035	Dual Head In Parallel Flow 3/8" Quick Connect Ports Gauge, Pressure Relief, White Powder Coated Bracket	\$214.42
3M/Cuno* 8000 Series Head	Triple	105030	Dual Head In Series Flow 3/8" Quick Connect Ports Gauge, Pressure Relief, White Powder Coated Bracket	\$202.78
3M/Cuno* 8000 Series Head	Triple	105039	Dual Head In Parallel Flow 3/8" Quick Connect Ports Gauge, Pressure Relief, White Powder Coated Bracket	\$271.84

BGC HIGH PERFORMANCE

Manifold Assemblies

Compares to	Head	Part Number	Features	List Price
3M/Cuno* 8000 Series Head	Single	105003	3/8" Quick Connect Ports Gauge, White Powder Coated Bracket	\$125.74
3M/Cuno* 8000 Series Head	Dual	105005	Dual Head In Series Flow 3/8" Quick Connect Ports Gauge, Pressure Relief, White Powder Coated Bracket	\$172.25
3M/Cuno* 8000 Series Head	Dual	105007	Dual Head In Parallel Flow 3/8" Quick Connect Ports Gauge, Pressure Relief, White Powder Coated Bracket	\$214.42
3M/Cuno* 8000 Series Head	Triple	105009	Dual Head In Series Flow 3/8" Quick Connect Ports Gauge, Pressure Relief, White Powder Coated Bracket	\$202.78
3M/Cuno* 8000 Series Head	Triple	105011	Dual Head In Parallel Flow 3/8" Quick Connect Ports Gauge, Pressure Relief, White Powder Coated Bracket	\$271.84
TBD	Quad	105013	Quad Head with 1/2" Output Ports Gauge Flush Valve, Pressure Relief, Stainless Steel Bracket Designed for Carbonation and Non-Carbonation Applications	\$591.08
TBD	Quad	105015	Quad Head with 1/2" FPT Ports Gauge Flush Valve, Pressure Relief, Stainless Steel Bracket	\$617.35
TBD	Penta	105017	Penta Head with 1/2" Output Ports Gauge Flush Valve, Pressure Relief, Stainless Steel Bracket Designed for Carbonation and Non-Carbonation Applications	\$650.18
Similar to Everpure* QL2, QL3	Single	509015	Single Head 3/8" FPT Ports	\$66.00
Similar to Everpure* QL2, QL3	Single	105124	Single Head 1/2" FPT Ports, Gauge Flush Valve, Pressure Relief, Stainless Steel Bracket	\$390.30
Similar to Everpure* High Flow CSR Single	Dual	105125	Dual Head with Dual 1/2" Output Ports, Gauge, Flush Valve, Pressure Relief, Stainless Steel Bracket Designed for Carbonation and Non-Carbonation Applications	\$487.87
Similar to Everpure* QC71-Twin	Dual	105126	Dual Head 1/2" FPT Ports, Gauge Flush Valve, Pressure Relief, Stainless Steel Bracket	\$481.36
Similar to Everpure* High Flow CSR Dual	Triple	105127	Dual Head with Dual 1/2" Output Ports, Gauge, Flush Valve, Pressure Relief, Stainless Steel Bracket Designed for Carbonation and Non-Carbonation Applications	\$572.44
Similar to Everpure* QC71-Triple	Triple	105128	Triple Head with 1/2" FPT Ports, Gauge Flush Valve, Pressure Relief, Stainless Steel Bracket	\$591.96
Similar to Everpure* High Flow CSR Triple	Quad	105133	Quad Head with Dual 1/2" Output Ports, Gauge, Flush Valve, Pressure Relief, Stainless Steel Bracket Designed for Carbonation and Non-Carbonation Applications	\$683.01
Similar to Everpure* QC71-Quad	Quad	105134	Quad Head with 1/2" FPT Ports, Gauge Flush Valve, Pressure Relief, Stainless Steel Bracket	\$722.05
Similar to Everpure* High Flow CSR Triple	Penta	105135	Penta Head with Dual 1/2" Output Ports, Gauge, Flush Valve, Pressure Relief, Stainless Steel Bracket Designed for Carbonation and Non-Carbonation Applications	\$755.28

Bracket Assemblies are Packaged Individually. Filters are sold separately.
*Everpure is a registered trademark of Everpure Incorporated.



AQUAMOR

42188 RIO NEDO RD, TEMECULA, CA 92590

1 (866) 218-8473
(951) 541-9517 | FAX: (951) 296-1050
INFO@AQUAMOR.COM
FOODSERVICE@AQUAMOR.COM

WWW.AQUAMOR.COM

BUSINESS HOURS
MONDAY – FRIDAY 8 A.M. TO 5 P.M. PST